

IECEx Certificate of Conformity

INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification System for Explosive Atmospheres

for rules and details of the IECEx Scheme visit www.iecex.com

Certificate No.:	IECEx ITS 10.0015X	Page 1 of 4	Certificate history

 Status:
 Current
 Issue No: 3
 Issue 1 (2015-03-26)

Date of Issue: 2021-12-17

Applicant: Scancon

Huginsvej 8 3400 Hillerød **Denmark**

Equipment: Incremental and Absolute Encoder Type 2REX

Optional accessory:

Type of Protection: Flameproof enclosure 'db' and Dust 'tb'

Marking: IECEx ITS 10.0015X

Ex db IIC T5 Gb

Ex tb IIIC T100°C Db

-40°C ≤ Tamb ≤ +70°C

Approved for issue on behalf of the IECEx P Moss

Certification Body:

Position: Certification officer

Signature:

(for printed version)

Date:

- 1. This certificate and schedule may only be reproduced in full.
- 2. This certificate is not transferable and remains the property of the issuing body.
- 3. The Status and authenticity of this certificate may be verified by visiting www.iecex.com or use of this QR Code.



Issue 0 (2012-12-06)

Certificate issued by:

Intertek Testing & Certification Limited ITS House, Cleeve Road Leatherhead Surrey, KT22 7SA United Kingdom





IECEx Certificate of Conformity

Certificate No.: **IECEx ITS 10.0015X** Page 2 of 4

Date of issue: 2021-12-17 Issue No: 3

Manufacturer: Scancon

> Huginsvej 8 3400 Hillerød Denmark

Additional manufacturing locations:

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended

STANDARDS:

The equipment and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards

IEC 60079-0:2017 Explosive atmospheres - Part 0: Equipment - General requirements

Edition:7.0

IEC 60079-1:2014-06 Explosive atmospheres - Part 1: Equipment protection by flameproof enclosures "d"

Edition:7.0

IEC 60079-31:2013 Explosive atmospheres - Part 31: Equipment dust ignition protection by enclosure "t"

Edition:2

This Certificate does not indicate compliance with safety and performance requirements other than those expressly included in the Standards listed above.

TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in:

Test Reports:

GB/ITS/ExTR10.0008/00 GB/ITS/ExTR10.0008/01 GB/ITS/ExTR10.0008/02

GB/ITS/ExTR15.0002/00

Quality Assessment Report:

GB/EXV/QAR17.0015/03



IECEx Certificate of Conformity

Certificate No.: IECEx ITS 10.0015X Page 3 of 4

Date of issue: 2021-12-17 Issue No: 3

EQUIPMENT:

Equipment and systems covered by this Certificate are as follows:

The Encoder Type 2REX is a small cylindrical unit (68mm in diameter with length dependent on model) containing low voltage electronic components. The enclosure is manufactured from either aluminium, stainless steel or acid-proof stainless steel. The enclosure comprises of cylindrical flamepaths between the End Cap & Cover Tube and Cover Tube & Housing. The rotating shaft forms a cylindrical flamepath through the housing controlled by k & m factors and is held in place with 2 precision roller element bearings. The enclosure has one threaded cable entry fitted with either a certified M20x1.5, M25x1.5, 1/2"NPT or 3/4"NPT cable gland or an M15 integral cable gland. Both internal and external earthing is provided.

Additionally, the encoders meet IP64/65/66/67/68 (1hour/1 meter) in accordance with IEC 60529.

Electrical Specification: 4.5 to 30Vdc or 5 to 30Vdc 100mA max

SPECIFIC CONDITIONS OF USE: YES as shown below:

- 1. Minimize the risk from electrostatic discharge clean only with a damp cloth.
- 2. Temperature at the cable gland or branching point could exceed 70°C or 80°C respectively suitably rated cable must be utilized.
- 3. It is a condition of certification that the flamepaths have to comply with the manufacturers drawings and can only be repaired by the manufacturer.
- 4. The fasteners used to secure enclosure body to end shields have a minimum yield stress of 450 Mpa.
- 5. For models without integral cable gland use only suitably certified Ex db IIC Gb and Ex tb IIIC Db cable glands, thread adaptors and blanking elements.
- 6. It is a condition of certification that precautions must be taken to avoid dust from forming layers on the encoder.



IECEx Certificate of Conformity

Certificate No.: IECEx ITS 10.0015X Page 4 of 4

Date of issue: 2021-12-17 Issue No: 3

DETAILS OF CERTIFICATE CHANGES (for issues 1 and above)

leeue 1

Change of address from "Tranevang 1, 3450 Alleroed, Denmark" to "Huginsvej 8, DK-3400, Hilleroed, Denmark". No other changes.

Issue 2

- 1. Inclusion of new type of rotary seal.
- 2. Inclusion of alternative type of O-ring.
- 3. Update of IEC 60079-1 from Ed. 6 to Ed. 7.
- 4. Update of IEC 60079-31 from Ed. 1 to Ed. 2.
- 5. Change of QAN/QAR Issuer.
- 6. Minor drawing changes not compromising the IECEx cerification.

Issue 3:

- 1. Update from IEC 60079-0:2011 Ed 6 to IEC 60079-0:2017 Ed 7.
- 2. Inclusion of battery on Absolute Encoder PCB.
- 3. Minor drawing changes not compromising the IECEx certification.
- 4. Addition of IP rating to product description.

Annex:

IECEx ITS 10.0015X Iss 3 - Annex for IECEx Certificate of Conformity.pdf



Annex to IECEx Certificate of Conformity

Certificate No:	IECEx ITS 10.0015X	Issue No. 3
Annex No. 1		

Technical Documents					
Title:	Drawing No.:	Rev. Level:	Date:		
Certification drawing – H.Shaft/shaft for 2REX/REXM Ex dwg	00131738C	3	29-11-2017		
*Certification drawing – Housing for 2REXI-2REX-REXM Ex dwg	00132210C	9	14-06-2021		
*Certification drawing – End Cap for 2REX/REXM Ex-dwg	00132416C	4	14-06-2021		
Certification drawing – Cover Tube 2REX/REXM Ex-dwg	00132417C	2	29-11-2017		
*Certification drawing – Cap 2REX/REXM Ex dwg	00132573C	3	14-06-2021		
*Certification drawing – Cap 2REX/REXM Ex dwg	00132616C	3	14-06-2021		
Seal Ø4,5 ZruElast 70189 Ex dwg	00141224	4	29-11-2017		
Certification drawing – Cable Gland M15x1	00142425C	2	29-11-2017		
*Warning Label for mining and surface Ex-dwg.	00241009	1	11.12.2018		
Seal Ø7 ZruElast 70189 Ex dwg	00143108	7	29-11-2017		
Internal / external earthing 2REX-REXM	00230838C	1	29-11-2017		
Allen screw M4x16 ISO4762 A4-80	07130086	5	06-07-2017		
Allen screw M4x10 ISO4762 A4-80	07130091	4	29-11-2017		
Allen screw M4x12 ISO4762 A4-80	07130094	3	17-05-2017		
Allen screw M4x35 ISO4762 A4-80	07130097	4	17-05-2017		
Ring Cable Shoe Yellow – M4	06300054	1	09-07-2013		
Allen screw M4x10 ISO4762 A2-70	07130056	3	18-10-2012		
Allen screw M4x12 ISO4762 A2-70	07130059	3	18-10-2012		
Allen Screw M4x35 ISO4762 A2-70	07130063	3	18-10-2012		
*Encoder type 2REXI, 2REX, REXM. M&k calculation Ex-dwg	00132087	3	14.06.2021		
Washer Ø7/Ø13/x1	07150039	1	29-09-2009		
Certification drawing – Rotary-Shaft Seal	00230847C	1	18-01-2018		
Certification drawing – O-ring Ex dwg	00230849C	1	16-01-2018		
*PCB SSI	00241789	1	14-06-2021		
*SC0241-1 SC50NA Magnetic Multiturn	00241814	3.0	16-09-2021		
*2REX ordering code Ex-dwg.	00141621	12	14.06.2021		
*2REX marking label Ex-dwg.	00141622	6	14.06.2021		
*Type 2REX Installation Guide	00142574	6	14 June 2021		

Note: An * is included before the title of documents that are new or revised.



Intertek Testing & Certification
Limited
Intertek House, Cleeve Road,
Leatherhead, Surrey, KT22 7SA
Tel: +44 (0)1372 370900 Fax: +44
(0)1372 370977
http://www.intertek.com
Registered No 3272281.
Registered Office: Academy Place,
1-9 Brook Street, Brentwood,
Essex, CM14 5NQ

Page 1 of 1

SFT-IECEx-OP-19f (26 October 2018)